

L Number	Hits	Search Text	DB	Time stamp
-	2	("20030081646").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:30
-	0	flasher and dim\$4 and contoller and ((light near sensor) or (photo near detect\$4)) and ((voltage near detect\$4) or (voltage near sensor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:33
-	5920	flasher	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:34
-	353	flasher and dim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:34
-	316	flasher and dim\$4 and (led or light or diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:35
-	276	flasher and dim\$4 and (led or light or diode) and control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:35
-	44	flasher and dim\$4 and (led or light or diode) and control\$3 and (light near sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:36
-	52	flasher and dim\$4 and (led or light or diode) and control\$3 and ((light near sensor) or (photo near detector))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:36
-	32	flasher and dim\$4 and (led or light or diode) and control\$3 and ((light near sensor) or (photo near detector)) and voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:37
-	30	flasher and dim\$4 and (led or light or diode) and control\$3 and ((light near sensor) or (photo near detector)) and voltage and current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:37
-	30	flasher and dim\$4 and (led or light or diode) and control\$3 and ((light near sensor) or (photo near detector)) and voltage and current and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:46
-	16259	traffic near control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:47
-	6152	(traffic near control\$3) and switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:47
-	1091	(traffic near control\$3) and switch and flash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/15 21:47

-	68	(traffic near control\$3) and switch and flash\$3 and dim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:55
-	339752	light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:56
-	306506	voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:57
-	302454	current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:57
-	9239	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 11:57
-	76	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and flasher	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 16:51
-	11	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and flasher and dim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:11
-	2035	(315/307-308).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:11
-	2444	(315/307-308,200A).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:52
-	0	315/148-159,308,dig.191,224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:53
-	4206	(315/148-159,308,dig.191,224).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:53
-	371	((315/148-159,308,dig.191,224).CCLS.) and led	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:57
-	0	((315/148-159,308,dig.191,224).CCLS.) and led ) and @ad < ("2003" US-20020075148-A1.DID. "23")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:56
-	147	((315/148-159,308,dig.191,224).CCLS.) and led and dim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:32

-	146	((315/148-159,308,dig.191,224).CCLS.) and led and dim\$4 and control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 14:33
-	13	((315/148-159,308,dig.191,224).CCLS.) and led and dim\$4 and control\$3 and traffic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 14:33
-	8	((315/148-159,308,dig.191,224).CCLS.) and led and dim\$4 and control\$3 and traffic and voltage and current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 15:00
-	125	((315/148-159,308,dig.191,224).CCLS.) and led and dim\$4 and control\$3 and voltage and current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 15:01
-	26	((315/148-159,308,dig.191,224).CCLS.) and led and dim\$4 and control\$3 and voltage and current and flash\$2 and light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 15:02
-	4	(light near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (voltage near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and (current near3 (detect\$3 or sens\$3 or discen\$3 or measur\$5)) and flasher and dim\$3 and led	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 19:21
-	2	("6388399").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 19:21